



Occurrence Details

Occurrence Number: 105E 003

Occurrence Name: Salloon

Occurrence Type: Hard-rock

Status: Prospect

Date printed: 12/16/2025 7:47:23 AM

General Information

Secondary Commodities: copper, gold, silver

Aliases: Beaver, Mink, Loon

Deposit Type(s): Vein Polymetallic Ag-Pb-Zn+/-Au

Location(s): 61°11'35.62" N - -134°12'1.33" W

NTS Mapsheet(s): 105E01

Location Comments: Location data marks approximate center of Main showing.

Hand Samples Available: Yes

Last Reviewed: Sep 13, 2017

Capsule

WORK HISTORY

Staked as Caribou & Blue Jacket cl (380A) in Apr/01 by W.F. Geary & R. Fulkerson and Midas cl (394A) by R.B. Eames, probably also in 1901. They performed trenching and drove an upper adit 23 m long and a lower adit 115 m long between 1901 and 1912 in association with J.S. Peters, J.W. Gillissie and H.H. McKern.

The property was apparently idle until May/43 when John Stenbraten staked Victory (19305), Gudrund (19306) and Stampede (19307) claims. Stenbraten carried out considerable hand trenching and drove a third adit (5 m long) on the Victory claim in 1948.

Restaked as Zula cl 1-8 (68786) in Jun/54 and as Saki cl 1-8 (70691) in Jul/55 by McLeod-Shuttlecock Gold Mines Ltd, which carried out further trenching and drilled 3 x-ray holes (about 39 m) in 1955-56.

Restaked as Beaver cl 1-8 (356446) in Jul/69 by Quested Mining Corp Ltd, which surrounded the claims with Mink cl 1-50 (Y45788) in Dec/69. The property was optioned to Colorado Corporation (a subsidiary of King Resources Company), which conducted grid soil sampling, mapping and a small IP survey over the occurrence area in 1970.

Restaked as Lynx cl 1-8 (Y67873) in Dec/72 by the Loon Lake Syndicate, which added Lynx cl 9-16 (Y79303) in May/74. The syndicate carried out soil sampling and geological mapping in late August and early Sep/74. The syndicate carried out further soil and rock sampling in 1975. In Sep/78 the syndicated staked Lynx cl 17 (YA23720) at the northeast end of the claim group to cover open ground and trenched various targets located within the claim group.

In 1984 Archer Cathro and Associates (1981) Ltd sampled the rock dump piles surrounding the main adit and surrounding outcrops.

Restaked as Loon cl 1-16 (YA94059) in Dec/85 by Archer, Cathro and sold to Silverquest Resources Ltd in Mar/86 which prospected and sampled in Jul/86. It appears the claims were transferred to Cash Resources Ltd in 1992. In Jun/93 Cash Resources collared 2 diamond drill holes (116.43 m) to test a prominent kill zone located near the occurrence location.

In Feb/95 the claims were transferred back to Archer, Cathro and Associates (1981) Ltd which allowed the claim group to expire over time. The last Loon claim expired in Mar/2009.

Restaked within Salloon cl 1-16 (YF47076) in Jun/2016 by Strategic Metals Ltd which added Salloon cl 17-52 (YF41357) in Jul/2016. The company carried out geological mapping, rock sampling and compiled all of the historical soil sampling and geophysical data. The company also collared one diamond drill hole (113.08 m) on the Main showing.

In Apr/2017 Strategic Metals staked Balloon cl 1-28 (YF56301) on the south end of the Salloon claim block and Balloon cl 29-215 (YF56329) on the northwest side of the claim block. The Balloon claim block extends northwest ward onto topographic map sheet 105E 08.

GEOLOGY

The occurrence area lies north of Upper Loon Lake approximately 68 km northeast of the City of Whitehorse in south-central Yukon. Access is normally obtained by float plane to Upper Loon Lake or by helicopter stationed in Whitehorse. The Livingstone Trail, a winter-only trail suitable for tracked vehicles provides access to placer gold mining operations in the Livingstone Creek area, centered approximately 16 km north of the property. Use of the winter trail entails crossing over the Teslin River which presents its own challenges.

The occurrence straddles the boundary between Quesnellia and Yukon Tanana terranes, both of which represent continental arcs that developed along the ancient Pacific margin of North America. The occurrence lies west of the Big Salmon Fault which separates Neoproterozoic to Devonian (?) Snowcap assemblage rocks to the east from Devonian to Mississippian Finlayson Lake assemblage rocks to the west. A splay of the fault, locally named Loon fault, parallels the Big Salmon Fault to the west and cuts through the Finlayson assemblage. A third fault, the Moose Creek Fault separates the Finlayson assemblage from Upper Triassic Semenoff formation (Quesnellia terrane) further to the west.

Detailed geological mapping of the occurrence area is hampered by heavy vegetation and overburden cover. R.L. Simard (2003) under contract to the Yukon Geological Survey carried out preliminary mapping of the northwest-central portion of topographic map sheet 105E 01. In 2016 the Yukon Geological Survey conducted a VTEM Plus geophysical survey over topographic map sheet 105E 08, located directly north of the occurrence area. M. Colpron of the survey used the results of this survey to release an updated geological map of topographic map 105E 08 in 2017. Colpron also used the results of his work to update the geological units around the occurrence area. Colpron's work is captured on the geological compilation map for the Yukon released in 2016 (Open File 2016-1).

The occurrence hosts a series of copper-silver-gold mineralized showings that lie along or near a zone of silicification which appears to follow the surface trace of a splay (locally named Loon fault) coming off the Big Salmon Fault. The primary bedrock sequence in the main area of interest consists of interlayered, metamorphosed clastic sedimentary and volcanoclastic rocks likely correlated to the Finlayson assemblage. Individual rock types appear to consist of quartzite, greenstone and calcareous and non-calcareous schists. These rocks are intruded by scattered mafic and felsic dykes of unknown age. Foliation and bedding in the area generally trends northwesterly.

No historical records documenting exploration work before 1969 can be located. The only evidence available are a series of 6 adits dug north of the Main showing. All of the adits have collapsed and no underground descriptions or assays are available, however most are marked by slumps and rock dumps located near them. The larger of the two historic adits (115 m long) known as the Lower or Main adit (UTM ~ 542961 E, 6784746) appears to have been dug on typical copper-silver-gold mineralization. A grab sample from its rock dump collected in 1984 by Archer, Cathro and Associates (1981) Ltd returned an assay of 5.49 g.t gold, 13.03 g/t silver and 3.4 % copper (Assessment Report #091887, p. 7). A composite rock sample collect in 2016 by Strategic Metals returned an assay of 6.4 g/t gold, 12.5 g/t silver and 7.72 % copper.

Approximately 75 m to the north, the second adit (the Upper or Northern adit, (23 m long)) was driven on a 45 cm wide quartz vein containing abundant chalcopyrite. Selected samples collected in

1984 from the adit dump returned up to 44.6 g/t gold, 144 g/t silver and 10.37 % copper although more representative samples returned 11.3 g/t gold, 17.1 g/t silver and 7.4 % copper.

The Main showing lies approximately 150 m south of the two adits and has seen the most exploration. It consists of a 30 m by 30 m area of strongly silicified outcrop containing rusty red to orange, often malachite-stained rock. The area lies on a steep slope devoid of vegetation. Chalcopyrite, pyrite and rare galena mineralization is hosted within several generations of quartz veins and within the silicified country rock. The quartz veins trend north-northwest and dip steeply to the west. A 2.5 m chip sample collected in 1978 by Sevensma (Assessment Report #091131 p. 5, 15) returned an assay of 5.14 g/t gold, 7.2 g/t silver and 0.95 % copper. Chip sampling carried out by Archer Cathro and Associates (1981) Ltd in 1984 returned an assay of 0.34 g/t gold and 0.3 % copper over 18 m (Assessment Report #091887 p. 11)

Prospecting conducted by Silverquest Resources Ltd in 1986 identified wide-spread low-grade copper-silver-gold mineralization within a large area of pervasive silicification and quartz veining 1.2 km north of the Main showing. Grab samples returned up to 0.69 g/t gold. Two float samples collected 1.5 km to the north returned 0.27 g/t and 0.77 g/t gold. Prospecting also led the discovery of a third adit, located approximately 120 m southwest of the Main adit. The Western adit (UTM ~542844 E, 6784649 N) straddles a parallel northwest trending structure. A grab sample collected in 2016 from the adit dump returned 0.83 g/t gold, 27.5 g/t silver and 2.78 % copper.

In 1993 Cash Resources tested the Main showing with two diamond drill holes. Both holes were drilled to the west. The first hole (93-1) did not intersect the silicified zone or mineralization and was abandoned at a depth of 63.09 m. The second hole (93-2) intersected 24.06 m of intensely sericite- clay-altered, silica-flooded rock that averaged 0.16 g/t gold, 2.0 g/t silver and 0.49 % copper. Although surface outcrop was malachite stained, the wallrock in the drill holes were unmineralized. Geological mapping completed by Strategic Metals indicates that mineralization dips west sub-parallel to the historic holes.

As part of their exploration program Strategic Metals prospected and compiled all existing exploration data. The 6 historic adits, their accompanying rock dumps and the Main showing are all located within a 300 m by 250 m area which the company labeled the Main zone. The company chip sampled the Main showing and collected grab rock samples from the rock dump located next to the Lower adit. Chip samples collected from the Main showing averaged 0.565 g/t gold, 3.89 g/t silver and 0.11 % copper over 20.0 m and 0.590 g/t gold, 2.71 g/t silver and 0.08 % copper over 6.0 m. Grab samples returned historic values.

Strategic Metals prospected northward from the Main zone and along the trend of the locally named Loon fault. The company discovered 7 addition zones of mineralization; Gun Show, Sheriff, Gambler, Cowboy, Cowgirl, Deputy and Bar zones over a strike length of approximately 1500 m. The Gun Show, Sheriff, Gambler, Cowboy, Cowgirl, and Deputy zones are located on or adjacent to the fault while the Bar zone is located to the west. The Gambler zone was trenched and sampled while the other 6 zones were briefly examined and sometimes assayed for gold. Gold assays were generally low grade.

Compilation of previous soil sampling data revealed two distinct north-trending soil anomalies. Anomaly A outlined a 1500m by 450 m north-northwest trending area of weakly to very strongly elevated copper-in-soil values and sporadic gold support. The anomaly covers all mineralized areas except for the Bar showing. Anomaly B is located 50 m west of Anomaly A and covers an area measuring 1800 m by 370 m containing weak to strongly anomalous gold values. Ground magnetic and IP surveys carried out in 1970 outlined three north- to northwest-trending and three northeast trending anomalies. The anomalies follow the main structural trends identified on the property with arcuate north-northwest trends in the vicinity of the Main showing and the neighboring adits and northeast trends near a shear zone further north. The IP anomalies coincide with soil geochemical anomalies A & B and could represent unidentified mineralized zones covered by vegetation and/or till.

The 2016 drill hole was drilled eastward beneath the Main showing and was designed to scissor the two 1993 drill holes. Drill core was highly fractured to gougy and core recovery was poor (averaging about 55 %). The hole was mineralized almost to the bottom and was terminated at a depth of 133 m due to difficult ground conditions. The best result was a 30.23 m intersection (from 36.52 to 66.75 m depth) which assayed 0.40 % copper, 128.46 g/t silver and 0.05 g/t gold. Included within this interval is a 10.53 m intersection (from 39.76 to 50.29 m depth) which assayed 1.01 % copper, 81.87 g/t silver and 0.123 g/t gold. Much of the silver was recovered from the screened fraction, which indicates that it is occurring as native silver. Antimony, arsenic and lead values were low throughout the hole.

The Balloon claims were staked to cover strong multi-element stream sediment anomalies from creeks that drain the same prospective, metavolcanic stratigraphy.

Work History

Date	Work Type	Comment
12/31/1993	Drilling	Two holes, (116 m) tested the Main showing, drilled to west parallel to mineralization.
12/31/1986	Other	
12/31/1978	Trenching	Trenched various showings.
12/31/1975	Geochemistry	Sampled showings and rock dumps.
12/31/1975	Geology	Expanded mapping out from Main showing.
12/31/1974	Geology	
12/31/1974	Geochemistry	Grid based.
12/31/1970	Geochemistry	Grid based.
12/31/1970	Ground Geophysics	Small survey over Main showing.
12/31/1970	Geology	Over Main showing.
12/31/1956	Drilling	Drilled 3 x-ray size holes, ~39 m. No records exist.
12/31/1955	Trenching	
12/31/1948	Development, Underground	Dug a third adit between 1943 and 1948.
12/31/1912	Development, Underground	Dug several adits between 1901 and 1912.
12/13/2016	Pre-existing Data	Compiled all previous soil sampling, geophysical and geochemical data.
12/13/2016	Geochemistry	Sampled Main showing and several historic rock dumps.
12/13/2016	Drilling	One hole, (113.8 m) collared on Main showing. drilled eastward to scissor 1993 holes.
12/13/2016	Geology	Mapped parts of property where bedrock was visible.
12/13/1986	Geochemistry	Sampled various showings.
12/13/1984	Geochemistry	Archer, Cathro and Associates (1981) Ltd sampled Main showing and various rock dumps. Property wasn't staked. No public report filed.

12/13/1948	Trenching	Conducted considerable hand trench between 1943 and 1948.
10/1/2019	Development, Surface	
10/1/2018	Drilling	3 holes, 285.0 m
10/1/2018	Geochemistry	
10/1/2018	Geochemistry	
10/1/1993	Geochemistry	
10/1/1993	Geology	
10/1/1993	Other	
10/1/1986	Geology	
10/1/1986	Geochemistry	
10/1/1986	Geochemistry	
10/1/1978	Trenching	
10/1/1978	Geochemistry	
10/1/1978	Geochemistry	
10/1/1975	Geochemistry	
10/1/1970	Ground Geophysics	

Assessment Reports that overlap occurrence

Report Number	Year	Title	Worktypes	Holes Drilled	Meters Drilled
096985	2016	Assessment Report Describing Rock Geochemical Sampling, Geological Mapping and Diamond Drilling	Diamond - Drilling, Rock - Geochemistry, Detailed Bedrock Mapping - Geology	1	113.08
093151	1993	Diamond Drill Report	Diamond - Drilling	2	116.43
091887	1986	Geochemical and Geological Surveys; Loon Lake Property, Yukon	Rock - Geochemistry, Silt - Geochemistry, Soil - Geochemistry, Bedrock Mapping - Geology		
091131	1978	Geochemical and Trenching Report	Rock - Geochemistry, Soil - Geochemistry, Backhoe - Trenching		
090093	1975	Loon Lkae Syndicate; Lynx Group	Rock - Geochemistry, Soil - Geochemistry, Bedrock Mapping - Geology		
061185	1974	Loon Lkae Syndicate; Lynx Group	Soil - Geochemistry		
060013	1970	Report on Geological and Geochemical Program; Beaver-Mink Group	Soil - Geochemistry, Bedrock Mapping - Geology, Magnetics - Ground Geophysics, Backhoe - Trenching		

Related References

Number	Title	Page(s)	Reference Type	Document Type
ARMC01_4227	Preliminary appraisal of McPhar survey of July 1970 - Beaver-Mink group - Whitehorse M.D., Yukon		Property File Collection	Report
MIR1969_70	Mineral Industry Report 1969 - 70	p. 119-120.	Indian & Northern Affairs Canada/Department of Indian & Northern Development: Geology	Annual Report
MIR1975	Mineral Industry Report 1975	p. 109.	Indian & Northern Affairs Canada/Department of Indian & Northern Development: Exploration & Geological Services Division	Annual Report
YEG1985_86	Yukon Exploration 1985-86	p. 212.	Indian & Northern Affairs Canada/Department of Indian & Northern Development: Exploration & Geological Services Division	Annual Report
YEG1993	Yukon Exploration and Geology 1993	p. 8.	Indian & Northern Affairs Canada/Department of Indian & Northern Development: Exploration & Geological Services Division	Annual Report
YEG2016_OV	Yukon Exploration and Geology Overview 2016	p. 51, 57, 59.	Yukon Geological Survey	Annual Report
YEG2016_3	Geophysical, geochemical and geochronological constraints on the geology and mineral potential of the Livingstone Creek area, south-central Yukon (NTS 105E/8)	p. 47-86.	Yukon Geological Survey	Annual Report Paper
YEG2002_16	Preliminary geology of the southern Semenof Hills, central Yukon (105E/1,7,8)	p. 213-222.	Indian & Northern Affairs Canada/Department of Indian & Northern Development: Exploration & Geological Services Division	Annual Report Paper
2017-1	Revised geological map of Livingstone Creek area (NTS 105E/8)		Yukon Geological Survey	Open File (Geological - Bedrock)
2003-12	Geological map of southern Semenof Hills (part of NTS 105E/1,7,8), south-central Yukon (1:50 000 scale)		Yukon Geological Survey	Open File (Geological - Bedrock)
93-067	Report for Yukon Mining Incentives Program File #93-067		Yukon Government: Energy, Mines and Resources	YMEP Report

Drill core at YGS core library					
Number	Property	Year Drilled	Core Size	Photos	Data
LOON-93-1	Loon	1993	BQ	0	3
LOON-93-2	Loon	1993	BQ	0	3