



Occurrence Details

Occurrence Number: 115F 045

Occurrence Name: Canalask

Occurrence Type: Hard-rock

Status: Deposit

Date printed: 12/16/2025 3:27:59 AM

General Information

Primary Commodities: nickel

Secondary Commodities: cobalt, copper, molybdenum, palladium, platinum

Aliases: Micro

Deposit Type(s): Ultramafic Mafic Gabbroid Cu-Ni-PGE

Location(s): 61°57'11" N - -140°32'16" W

NTS Mapsheet(s): 115F15

Location Comments: location from AR093957 and satellite imagery

Hand Samples Available: No

Last Reviewed:

Capsule

Work History

Staked as White cl 1-8 (64214), Wolverine cl 1-8 (64222) and Caribou cl 1-8 (64432) and cl 9-16 (64230) in Mar/53 by P. Eikland, W. Theriault and F. Hickey and optioned to Prospectors Airways Company Ltd, on behalf of a syndicate including Noranda Mines Ltd and Kerr Addison Gold Mines Ltd, which drilled 14 holes (1 652.3 m) before dropping the option in Mar/54. Optioned in May/54 to Canalask Nickel Mines Ltd, a new company formed by Ontario Nickel Mines Ltd and Frobisher Ltd to develop the property. Frobisher's interest was later transferred to Quebec Metallurgical Industries Ltd.

During 1953-54, the property was extensively fringe staked by Versluc and associates who staked Blue Ribbon cl 1-8 (64383), by D. Taylor who staked Polaris cl 1-6 (64238) and by General Enterprises Ltd who staked Blair cl 1-6 (64200) etc. The Fox cl 1-8 (73245) were staked in Oct/57 by A. Nolan on the north side and transferred to Triple Five Prospectors Company Ltd. Between 1954-58, Canalask drilled 1 025 m from surface, completed 518.2 m of drifting on 2 levels through an adit and a 106.7 m winze, and drilled 466.7 m underground. The name was changed to Northwest Canalask Nickel Mines Ltd in 1963, just before the claims were allowed to lapse.

Restaked as Micro cl 1-9 (86108) in Mar/64 by P. Versluc, H. Versluc and C. Gibbons, who trenched in 1965 and 1966, before optioning the claims in Jun/67 to Discovery Mines Ltd, Rayrock Mines Ltd and Consolidated Canadian Faraday Ltd. The group carried out magnetic, EM and IP surveys, bulldozer trenched and drilled 2 diamond drill holes (399.6 m) later in the year. In 1968, Faraday's interest was transferred to Pacific Petroleum Ltd, and the underground workings were re-opened to permit 370.9 m of underground drilling. In addition, about 1 005.9 m of drilling was conducted from surface.

After the option was dropped, the owners performed more trenching in 1970 before optioning the property in Feb/72 to the Nickel Syndicate (Canadian Superior Exploration Ltd, Aquitaine Company of Canada, Home Oil Ltd, and Getty Mines Ltd), which explored with geological mapping, magnetic and EM surveys later in 1972 and drilled 5 diamond drill holes (640.0 m) and staked Mag cl 1-39 (Y75496) in May-Jun/73 before dropping the option in 1974. The owners rehabilitated the portal in 1978. The property was examined briefly in 1984 by Mammoth Resources Ltd.

The property was optioned in Dec/86 by Klauene Joint Venture (All-North Resources Ltd and Chevron Minerals Ltd) which added Weng cl 1-2 (YA96585) in Dec/86, Weng cl 3-10 (YA96732 in Jan/97 and Cana cl 1-6 (YA97083) in Mar/87. The Joint Venture joined with Rockridge Mining Corp, and together explored with geological mapping, mag & VLF-EM surveys, minor geochemical sampling, core relogging, and 5 diamond drill holes (603.2 m) in 1987. In Nov/92, the property was sold to a joint venture consisting of A.R. Archer Holdings Ltd, ECEE Money Ltd, Carvest Holdings Ltd and Norvista Developments Ltd.

Fringe claims include V cl 1-36 (YA95733) to the southeast in Aug/86 by Polestar Exploration Inc, which conducted mapping and sampling in 1987, CT cl 1-17 (YA97527) to the north and the WR cl 17-26 (YA97560) to the southwest in Jun/87 by Harjay Exploration Co. Ltd and KM cl 1-12 (YB8673) to the west in Oct/87 by B. Lueck. Magnetometer and VLF-EM surveys were carried out on the CT claims in 1988 by Lodestar Exploration Ltd. G. Harris staked Lobo cl 1-10 (YB26505) 1 km to the southwest in Apr/89. Harjay trenched on the WR claims in 1990.

In early 1993 Expatriate Resources Ltd purchased a 100% interest in the Micro, Weng, and Cana claim groups. The company also optioned the neighboring Onion claim group (Minfile Occurrence #115K 077). In Aug/93 the company staked White cl 1-18 and 20 (YB38234) and River cl 1-8 (YB38253), (Minfile Occurrence #115F 047) on the west side of the White River. Expatriate consolidated all of the claims into the Canalask property. In Sep/93 Expatriate carried out trenching, linecutting, magnetometer and VLF-EM surveys, geological mapping, and geochemical sampling on the east side of the White River (this occurrence).

In 1994 Cachet Enterprises Corporation was granted an option to earn a 50% interest in the Micro cl 1-4 (86108) by spending \$1 000 000 over three years. Between September and Nov/94, Cachet drilled 6 HQ diameter drill holes (940 m). In 1995 the company drilled 5 additional HQ diameter drill holes (532 m) and carried out total magnetic field, VLF-EM and horizontal loop electromagnetic geophysical surveys on the Micro claims. Cachet terminated their option in Sept/96.

Between Oct/96 and Mar/97 Expatriate expanded their claim holdings by surrounding the Micro claims with several non-sequentially staked blocks of WR claims (84-95...etc, YB96944). In 1997 Expatriate flew an airborne geophysical survey over the entire property, the results of which led the company to drill 10 diamond drill holes (1 277.7 m) on coincident mag/EM anomalies located on the east side of the White River but outside of areas of known mineralization previously identified on the Weng claims. The company also completed ground magnetometer and HLEM geophysical surveys over various claims located on the east side of the White River.

In Oct/99 the property was optioned by Uravan Minerals Inc and in 2001 the company carried out ground magnetometer, HLEM and IP geophysical surveys, geological mapping, hand trenching, sampling and prospecting on the Onion and White claims (Minfile Occurrences #115K 077 and 115F 047) located 5 km to the west. In 2002 Uravan drilled two diamond drill holes (410.5 m) on the White and Onion claims. The company dropped its option at the end of 2002 and returned the property to Expatriate Resources. Expatriate transferred the property to StrataGold Corporation in May/2003.

Capsule Geology

The occurrence is located on the west side of the Alaska Highway and on the east side of the White River. The area lies along the northwest margin of the Wrangellia Terrane within a steeply dipping package of Late Paleozoic and Early Mesozoic volcanic and sedimentary rocks. These rocks have been subdivided into two groups, the Skolai Group and the Nikolai Group. The mafic-ultramafic White River Intrusive complex intrudes at or near the contact between the Station Creek and Hansen Creek formations (Skolai Group). The Shakwak-Denali Fault system bounds the area to the northeast and the Duke River Fault to the southwest.

Due to the scarcity of natural exposures on the property, the thickness of the various stratigraphic units is uncertain. Regionally the Skolai Group is comprised of the Pennsylvanian to Permian Station Creek Formation and the Lower Permian Hansen Creek Formation. The Station Creek Formation, represents the oldest rocks in the area, and forms the lower part of the Skolai Group. The lower 600 m of the formation consists of pale green pyroclastic andesites and interbedded phyllites. The upper 400 m of the formation consists of interbedded black phyllite, siltstone, argillaceous limestone and cherty argillites with minor tuff horizons. Together the formation regionally exceeds 1 000 m in thickness.

The Lower Permian Hansen Creek Formation forms the upper part of the Skolai Group and consists of various sedimentary rocks including black phyllite, chert siltstone, limestone and conglomerate. The basal contact with the Skolai Creek Formation is described as gradational and arbitrarily placed at the uppermost volcanic unit. The Hansen Creek Formation regionally attains a maximum thickness of 800 m.

The Nikolai Group consists of a kilometer or more thick sequence of Middle to Late Triassic basaltic flows and interbedded limestone with local volcanic breccia and conglomerate, chert and argillite that overlies the Skolai Group rocks along an angular unconformity. Flows are thin (2 to 10 m), vesicular to amygdaloidal and are locally hematite stained indicating shallow water to sub aerial deposition.

The volcanic and sedimentary sequence is intruded by the Lower to Middle Triassic White River Intrusive Complex, part of the larger Kluane Mafic-Ultramafic Belt which occurs within the Kluane Ranges of the Yukon. In the vicinity of this occurrence, the White River Intrusive Complex consists of a sill-like body of ultramafic and mafic rocks that have an average thickness of 430 m but may reach thicknesses of as much as 600 m. The complex intrudes at the contact between the Station Creek Formation volcanic breccia and tuff and the overlying Hansen Creek Formation limestone and clastic sedimentary strata. Geophysical and geological data suggests that the complex has an average dip of 45 degrees to the southwest and has not been significantly affected by faulting or folding.

The northern margin of the complex represents the original intrusive basal contact zone, whereas the southern margin delineates the upper intrusive contact. Unlike other areas within the White River Intrusive Complex, the complex in the vicinity of this occurrence lacks a marginal quartz-carbonate alteration zone and locally exhibits a thin (>2.0 m) contact metamorphic (thermal) aureole in the footwall of the Station Creek Formation tuff.

The occurrence marks the location of the Main zone described as a proximal massive sulphide deposit located in the footwall of the mafic-ultramafic complex in an area of extensive metasomatic alteration. The deposit occurs in the form of a steeply dipping, southwest plunging nickel sulphide zone that measures approximately 130 m long and 23 m wide and is cut off at the west end near the White River, by a fault. Mineralization consists of pyrrhotite and lesser amounts of pentlandite, sphalerite, pyrite, marcasite and chalcopyrite in fine-grained patchy disseminations and less commonly in small massive lenses in volcanic rocks of the Station Creek Formation. These rocks are dense and siliceous and probably of tuffaceous origin. The zone lies 122 m from the footwall contact of a peridotite sill that is 793 m long and over 76 m wide. Within the sill are zones of olivine gabbro, serpentinized dunite and picrite. Two other zones are also present but are of lower grade. Reserves calculated in 1968 by Discovery Mines stand at 390 235 tonnes grading 1.35% nickel.

Beginning in the mid 1970's, exploration was re-directed towards the property's platinum potential with exploration work concentrated on the footwall contact of the sill. Hole 1973-7, situated 850 m east of White River, intersected 0.45 g/t platinum, 1.4 g/t palladium, 0.94% nickel and 0.33% copper across 3 m from a gabbroic phase. Mineralization consisted of coarse, net-textured pyrrhotite with finely disseminated chalcopyrite. The Kluane Joint Venture's 1987 drill program tested a 458 m length of the footwall contact located east of the White River. All of the holes intersected interbedded quartzite and argillite in the footwall rather than the interbedded tuff and limestone cored in the 1973 drilling. Bulldozer trenching across the footwall contact returned a best assay of 0.41 g/t platinum, 11.7 g/t palladium, 0.4% nickel and 0.1% copper across 3.0 metres.

The 1994 drilling was directed at confirming historical drill intersections in the Main zone as well as evaluating a strong geophysical anomaly in an area north of the Main zone known as the Footwall zone. Two holes were drilled through the central part of the Main zone. Hole C94-60 intersected 15.2 m of mineralization which assayed 1.02% nickel, 0.12% copper and 0.018 % cobalt. Hole C94-61 intersected 11.0 m of mineralization which assayed 1.37% nickel, 0.02% copper and 0.008% cobalt. The other four holes were drilled in the Footwall zone which lies 40 m north of, and stratigraphically below the Main zone. The best intersection was returned from hole C94-64 which intersected 3.0 m of mineralization that assayed 1.34% nickel, 0.10 copper and 0.055% cobalt. All drill intersections from the program that returned greater than 0.20% nickel and/or 0.20% copper were composited and re-assayed for gold, platinum and palladium. The samples returned trace to low background levels.

The 1995 drill program tested the Main and Footwall zones. The best result was returned from hole C95-70 which targeted an EM geophysical anomaly located 100 m east of the Footwall zone. The hole intersected 6.4 m of pale green silicified gabbro that returned 1.08% copper and 0.10% cobalt. Expatriate named this newly discovered zone the River zone. A second drill hole attempted to intersect the same zone but was abandoned in deep overburden. The remaining holes intersected mineralized portions of the Footwall and Main zones. The best result of these holes was hole C95-66 which returned 10.9 m of 0.77% copper and 0.052% cobalt from the Footwall zone.

The geophysical surveys revealed 3 elongate VLF-EM anomalies with coincident magnetic response within the footwall sequence of sedimentary rocks. The anomalies have an aggregate strike length of over 1 km and occur in a geological setting similar to the Main, Footwall and River zones.

The 1997 drilling tested coincident EM and magnetic anomalies about 1 km southeast of the main zone that were outlined by a 1996 airborne geophysical survey and redefined by ground geophysics carried out immediately in advance of the drilling. Drilling intersected fault zones within ultramafic rocks which contained sheet-like bands of pyrrhotite with lesser magnetite and minor native copper. Disseminated pyrrhotite and chalcopyrite in feldspathic peridotite and gabbro were also intersected but all were sub-economic.

The 2001 program was centered over the northwest portion of Miles Ridge (located at the northwest end of the property) which hosts the White River Ultramafic Complex. The area hosts six known mineralized showings and high background concentrations of nickel, cobalt, platinum and palladium. Geophysical surveys delineated two strong HLEM conductors with coincident IP chargeability-resistivity anomalies that are conformable and parallel to the footwall contact of the complex. Prospecting and geological mapping outlined two embayments the Discovery and Sax-Cessna, coincident to the anomalies which Urvan theorized outlined areas along the ultramafic complex where the footwall contact thickens appreciably and possibly hosts concentrations of sulphide and platinum group elements.

The 2002 drill holes tested the Discovery (Minfile Occurrence #115K 077) and Sax-Cessna embayments (Minfile Occurrence #115F 047). Both holes intersected broad intersections of low grade nickel plus platinum group mineralization in ultramafic rocks (clinopyroxenite). Mineralization occurred in zones of net-textured and disseminated magnetite plus ferro-chromite and sulphide minerals. Intersections ranged in grade from about 1 100 ppm to 3 100 ppm nickel and 90 ppb to 634 ppb platinum plus palladium over intervals greater than 20 m in both holes.

References

ARCHER, CATHRO AND ASSOCIATES (1981) LTD, 1987. Assessment Report #091995 by R.J. Cathro.

CAMPBELL, F.A., 1956. Nickeliferous Sulphide Deposits at Quill Creek and White River, Yukon. Unpublished M.Sc. thesis, Queen's University.

CAMPBELL, F.A., 1960. Nickel Deposits in the Quill Creek and White River Area, Yukon. Canadian Institute of Mining and Metallurgy Bulletin, Dec/60, p. 953-959.

CAMPBELL, S.W., 1976. Nickel-copper sulphide deposits in the Kluane Ranges, Yukon. Exploration and Geological Services Division, DIAND; Open File 1976-10.

CAMPBELL, S.W., 1981. Geology and genesis of copper deposits and associated host rocks in and near the Quill Creek area, Southwestern Yukon. Unpublished Ph.D. thesis, University of British Columbia, 1981.

DISCOVERY MINES LTD, 1967. Assessment Report #019077 by J.S. Reed and J.G. Baird.

DISCOVERY MINES LTD, 1968. Assessment Report #091298 by T. Antoniuk.

DISCOVERY MINES LTD, 1968. Assessment Report #091316 by T. Antoniuk.

EXPATRIATE RESOURCES LTD, 1994. Assessment Report #093155 by H.J. Copeland and R. C. Carne.

EXPATRIATE RESOURCES LTD, 1994. Assessment Report #093256 by R.C. Carne.

EXPATRIATE RESOURCES LTD & CACHET ENTERPRISES CORP, 1996. Assessment Report #093448 by R.C. Carne.

EXPATRIATE RESOURCES LTD, 1997. Assessment Report #093698 by R.C. Carne.

EXPATRIATE RESOURCES LTD, 1998. Assessment Report #093957 by R.C. Carne.

EXPATRIATE RESOURCES LTD, Aug/2003. Assessment Report #094421 by J. Moore.

EXPATRIATE RESOURCES LTD, News Release, 10 Jan/95.

GEOLOGICAL SURVEY OF CANADA Memoir 340, p. 111.

GEOLOGICAL SURVEY OF CANADA Paper 67-40, p. 13-16; Paper 68-68, p. 65-68; Paper 69-55, p. 39.

GEORGE CROSS NEWSLETTER, 19 Apr/89; 24 Nov/92; 26 Sep/95.

HULBERT, L.J. 1997. Geology and metallogeny of the Kluane Mafic-Ultramafic Belt, Yukon Territory, Canada: Eastern Wrangellia & A new Ni-Cu-PGE Metallogenic Terrane. Geological Survey of Canada, Bulletin 506, 265 p.

ISRAEL, S., 2004. Geology of Southwestern Yukon (1:250 00 scale). Yukon Geological Survey, Open File 2004-16.

LODESTAR EXPLORATIONS INC, Sep/88. Assessment Report #092525 by G.S. Davidson.

MINERAL INDUSTRY REPORT 1973, p. 60-61.

NICKEL SYNDICATE, 1973. Assessment Report #091321 by J.S. Vincent and K.A. Maclean.

NORTHERN MINER, 3 Oct/95.

ROCKRIDGE MINING CORPORATION AND KLUANE JOINT VENTURE, Jan/88. Assessment Report #092009 by R.J. Cathro.

STRATAGOLD CORPORATION, Apr/2005. Web Site: www.stratagold.com

STRATAGOLD CORPORATION, News Release, 12 Oct/05.

THE MINING LETTER, 24 Jul/84.

URAVAN MINERALS INC, Apr/2002. Assessment Report #094331 by I. Fraser.

URAVAN MINERALS INC, News Release, 31 Oct/01; 23 Aug/2002.

URAVAN MINERALS INC, Apr/2003. Web Site: www.uravanminerals.com.

VERSLUCE, P., 1966. Assessment Report #019083 by P.H. Sevensma and P. Verslucé.

YUKON EXPLORATION 1987, p. 242.

YUKON EXPLORATION & GEOLOGY 1995, p. 12, 13, 16; 1996 p. 24, 30; 1997 p. 24, 35; 2002, p. 14-15, 24, 26.

Work History

Date	Work Type	Comment
12/31/2002	Drilling	Two holes, 410.5 m. Holes collared at west end of property on Minfile Occurrences #115K 077 and #115F 047).
12/31/2001	Geochemistry	Bulk of program centered at west end of property near Oion and Cessna showings.
12/31/2001	Geology	Bulk of program centered at west end of property near Oion and Cessna showings.
12/31/2001	Other	
12/31/1997	Drilling	Ten holes, 1,227.7 m.
12/31/1997	Ground Geophysics	Also Max-Min II EM and Max-Min I EM surveys.
12/31/1997	Other	
12/31/1995	Drilling	Five holes, 532 m. Drilling on Main, Footwall and River zones.
12/31/1995	Ground Geophysics	Total magnetics, VLF-EM and horizontal loop EM surveys.
12/31/1994	Drilling	Six holes, 940 m. Drilling carried out on Micro claims 1-4.
12/31/1993	Geology	
12/31/1993	Geochemistry	
12/31/1993	Ground Geophysics	Also VLF-EM survey.
12/31/1993	Trenching	
12/31/1993	Other	
12/31/1990	Trenching	Work done on the WR claims to the southwest.
12/31/1987	Drilling	Five holes, 603.2 m.
12/31/1987	Geology	
12/31/1987	Geochemistry	
12/31/1987	Ground Geophysics	Also VLF-EM survey.
12/31/1978	Development,	Underground rehabilitation

12/31/1970	Underground	Underground Penetration.
12/31/1973	Drilling	Five holes, 640.1 m.
12/31/1972	Geology	
12/31/1972	Ground Geophysics	Also magnetic survey.
12/31/1970	Trenching	
12/31/1968	Drilling	Includes 370.9 m of underground drilling and 1 005.9 m of surface drilling.
12/31/1967	Drilling	Two holes, 399.6 m.
12/31/1967	Ground Geophysics	Also magnetic and EM-VLF surveys.
12/31/1967	Trenching	
12/31/1958	Drilling	Also carried out 1 025 m of surface diamond drilling and 466.7 m of underground drilling over previous 4 years.
12/31/1954	Drilling	Fourteen holes, 1,652.3 m.
12/13/1997	Airborne Geophysics	Also magnetic survey.
12/13/1966	Trenching	
12/13/1965	Trenching	
12/13/1958	Development, Underground	Completed 518.2 m of drifting and 106.7 m winze.

Assessment Reports that overlap occurrence

Report Number	Year	Title	Worktypes	Holes Drilled	Meters Drilled
094933	2007	Assessment Report for White River (""CanAlask") Ni-PGE	VTEM - Airborne Geophysics, Rock - Geochemistry, Bedrock Mapping - Geology, Regional Bedrock Mapping - Geology, Petrographic - Lab Work/Physical Studies, Prospecting - Other, Data Compilation - Pre-existing Data		
094862	2006	Assessment Report on Year - 2006, Geological, Geochemical and Geophysical on "Canalask-Onion" Portion of the White River Nickel Project	Rock - Geochemistry, Silt - Geochemistry, Bedrock Mapping - Geology, EM - Ground Geophysics, Line Cutting - Other		
094599	2006	NI 43-101-Compliant Report on the 2006 Exploration Program on the White River Nickel Project-Xstrata plc (Falconbridge Ltd.)	Rock - Geochemistry, Silt - Geochemistry, Soil - Geochemistry, Bedrock Mapping - Geology, EM - Ground Geophysics, Line Cutting - Other, Prospecting - Other		
093957	1998	Assessment Report Describing Geological, Geochemical and Prospecting Surveys in the Miles Ridge Area, Canalask Property	Rock - Geochemistry, Silt - Geochemistry, Bedrock Mapping - Geology, Prospecting - Other		
093698	1997	Report on 1997 Diamond Drilling on the Canalask Property	Diamond - Drilling	10	1227.72
093448	1995	Report on 1995 Diamond Drilling on the Canalask Property	Diamond - Drilling, EM - Ground Geophysics	5	532
093155	1993	Geological, Geochemical, Geophysical and Trenching Report on the Canalask Property	Rock - Geochemistry, Soil - Geochemistry, Bedrock Mapping - Geology, EM - Ground Geophysics, Magnetics - Ground Geophysics, Line Cutting - Other, Backhoe - Trenching		
092886	1990	Exploration Report on the WR 1-10 Claims	Rock - Geochemistry, Soil - Geochemistry, Prospecting - Other, Handblast - Trenching		
092525	1988	Exploration Report on the CT and WR Claims, White River Area	EM - Ground Geophysics, Magnetics - Ground Geophysics, Line Cutting - Other		
092009	1987	Report on 1987 Exploration, Canalask Joint Venture	All Weather Road - Development, Surface, Diamond - Drilling, Rock - Geochemistry, Soil - Geochemistry, EM - Ground Geophysics, Magnetics - Ground Geophysics, Line Cutting - Other, Mechanical - Trenching	5	602.90
091316	1968	[Drill Logs for 3 Diamond Drill Holes]	Diamond - Drilling	3	623.93
091298	1968	[Drill Log for One Underground Diamond Drill Hole]	Diamond - Drilling	1	146.61
019077	1967	Report on an Induced Polarization Survey, Micro Claim group	IP - Ground Geophysics		
092054	1953	Report on the Geophysical Surveys in the Shakwak Valley Area, Yukon Territory for Canalask Nickel Mines Limited.	Magnetic - Airborne Geophysics		

Related References

Number	Title	Page(s)	Reference Type	Document Type
ARMC013032	Report on reassessment of available data and the 1967 program of geological mapping, geophysical surveys, trench and diamond drilling - Micro Nickel project		Property File Collection	Report
ARMC013030	Report on the 1968 program of surface and underground diamond drilling - Micro Nickel project - White River area including and Assay Plan 2700 Level for the White River Property dated May 1957		Property File Collection	Report
ARMC013031	Progress report to October 10, 1966 - Micro group		Property File Collection	Report

Resource/ Reserve									
Year	Zone	Type	Commodity	Grade	Tonnage	Amount	Reported Amount	43-101 Compliant	Cut-off
1968	MAIN ZONE (UNDERGROUND)	Historical Estimate	nickel	1.35 %	390,235		No	No	Unknown
Based on historic calculation in 1968 by Discovery Mines, using data which Archer, Cathro (Assessment Report #093256) deemed to be to unreliable for reserve estimation purposes.; Uravan Minerals Incorporated Web Site @ www.uravanminerals.com, Sep/03.									

Drill core at YGS core library					
Number	Property	Year Drilled	Core Size	Photos	Data
C94-65	Canalask	1994	HQ	12	0
VQ-7	Canalask	1973	BQ	0	3
68-2	Canalask	1968	BTW	12	1
68-4	Canalask	1968	BTW	17	1
U-202	Canalask	1968	BTW	10	1
67-1	Canalask	1967	BTW	15	2
67-2A	Canalask	1967	BTW	14	2
68-1	Canalask		BTW	26	0
U-208	Canalask		BTW	2	0