

Occurrence Details

Occurrence Number: 115I 049
Occurrence Name: Caribou Creek
Occurrence Type: Hard-rock

Status: Deposit

Date printed: 8/5/2025 10:07:33 AM

General Information

Primary Commodities: gold Secondary Commodities: silver Deposit Type(s): Vein Au-Quartz

Location(s): 62°15'28.8" N - -137°11'27.6" W

NTS Mapsheet(s): 115I06 Location Comments: .5 Kilometres Hand Samples Available: Yes

Last Reviewed:

Capsule

Work History

Staked as Dark Moth cl (39046) in April 1937 by W. Teare and optioned in 1938 to T.C. Richards and E. Keobke, who built a 107 maerial tramway and a 1.8 tonne gravity fed stamp mill. The mill briefly produced 12.7 tonnes of ore from an opencut and shipped one brick containing 2,613 g gold with 20% silver. The milling equipment was subsequently moved to the nearby Laforma property (MINFILE occurrence 115I 054) in the winter of 1938-1939.

Re-staked as Hope cl 1 (69842) in October 1954 by P.F. Guder, who carried out hand trenching. Guder staked Greenstone cl 1-5 (90465) to the north in July 1964, before optioning the Hope claim to Peso Carmacks Gold Mines Ltd. in September 1964, which added Teare cl 1-44 (91122). Gruder added Greenstone cl 6 (Y21094) to the north in September 1967; re-staked the Hope claims as Hope cl 1 (Y21249) in November 1967; optioned the Hope claim to R. Granger from 1969-1970; carried out hand trenching annually until 1974; staked Best cl 1-6 (Y25895) in September 1968; staked Hope cl 2 (Y76048) in July 1973; and carried out bulldozer trenching in 1978. The property was subsequently transferred to Guder Mining Exploration Ltd., which trenched in 1985.

The MJK cl 1-32 (Y78884) and MJK cl 33-44 (Y78916) were added to the immediate west in May 1974 by the Carmacks Syndicate (Castlemaine Exploration Ltd., Welcome North Mines Ltd., W.M. Bath Investments Ltd and Ventures West Capital Ltd.) and optioned to a joint venture between Western Mines Ltd, Cream Silver Mines Ltd and Belmoral Mines Ltd which carried out geological mapping, soil sampling and a magnetometer surveying later in the year. This area was re-staked as Cara cl 1-7 (YB08036) in August 1986 by G. Harris, who had earlier staked Greenstone cl 7-10 (YA92778) to the north in July 1985.

Doron Explorations Inc. surrounded the occurrence with Boo cl 1-66 (YB7740) in August 1987. The company also staked Boo cl 77-86 (YB07806) to the northeast, Boo cl 101-104 (YB07816) to the northwest and Boo cl 67-76 (YB08026) to the northeast at about the same time. Later in the year the company carried out bulldozer trenching on various claims. Doron optioned the Guder and Harris owned claims in 1988 and carried out geochemical sampling, geophysical surveying and cat trenching, followed by drilling of 23 holes (1,116.6 m) between the fall of 1988 and February 1989. In 1990, Sayre Development Inc. constructed and briefly operated a 50 tonnes per day mill on the property during an unsuccessful attempted to mine the open cut.

In July 1993, Harris and Associates blast trenched and sampled the Caribou vein and collected soil samples on the Cara, Best, Hope and various Boo claims. The road to the property was also upgraded. In December 1993, Harris staked May cl 1 and 3 (YB46564) to the northwest.

In September 1994, Doron Explorations Inc transferred the Boo cl 1-86 (YB07740) and 101-104 (YB07816) to B. Harris. In 1994, Dark Moth Mines Ltd drifted 100 m on the Caribou vein and carried out prospecting, geophysics and soil sampling on the surrounding claims. In 1996, Harris continued sampling the various veins in the area, constructed roads and test milled auriferous quartz breccia material. Between 1997 and 1999, Harris continued upgrading roads and sampling the open cut and underground workings.

In 2000, Midnight Mines Ltd (a Harris owned company) took over as operator on the project and extended the existing cut grid, prospected the gridded area and carried out an informal evaluation. The adit and drift were reportedly dewatered at that time and sampling of them and the open cut was carried out. Grid rehabilitation, upgrading and expansion of the road/trail network, prospecting, hand trenching and geochemical rock sampling were carried out in 2001 and 2002.

In 2006, Geotech Ltd. flew a magnetic and EM airborne geophysical over the Caribou Creek property for Bill Harris.

Regional & Property Geology

The occurrence is partly underlain by Yukon-Tanana Terrane (YTT). The rocks of the YTT in this region consist of Early Mississippian metamorphic rocks separated into meta-sedimentary and meta-igneous suites. The meta-sedimentary suite consists of micaceous quartz-feldspar gneiss, schist and quartzite. The meta-igneous package is comprised of biotite-hornblende feldspar gneiss and coarse-grained granodiorite orthogneiss with lesser amphibolite.

The YTT basement rocks are cut by numerous plutonic and volcanic events from the Mesozoic (Murray & Friend, 2018), including:

- 1. Early Jurassic Long Lake monzonite and granodiorite plutonic suites;
- 2. Mid-Cretaceous Mount Nansen Suite andesite, dacite, tuffs and rhyolite;
- 3. Mid-Cretaceous Whitehorse granodiorite;
- 4. Late Cretaceous Prospector Mountain syenite;
- 5. Late Cretaceous Carmacks basalt: and.
- 6. Quartz feldspar and feldspar hornblende porphyry dykes and plugs.

Mineralization & Results

Coarse free gold is found in quartz veinlets and quartz-flooded breccia zones, near the remnant of a volcanic feeder possibly related to the Late Cretaceous Carmacks Group volcanics, which cut Carmacks Group Caribou Creek conglomerate and associated graphitic siltstone which are unique to the district (AR 094683). According to Murray & Friend (2018) and Carlson (1987) bedrock is believed to consist of monzonite assigned to the Early Jurassic Long Lake Suite and Mount Nansen andesite. A large mid-Cretaceous granitic pluton assigned to the Whitehorse Suite outcrops to the south.

Gold appears to be related to contacts between the volcanic feeder and the basal part of the graphite unit. The zone appears to trend northeast at the discovery showing, but the nine holes which intersected mineralization (88-1,9,10,11 and 12 and 89-1,2,3,4) outlined a 2.6 m thick zone which trends 340° and dips about 50° east. The best intersections assayed 95.76 g/t Au over 2.89 m and 101.6 g/t Au over 1.8 m (AR 093110).

Midnight Mines drifted on the Caribou vein, a 1-2 m wide quartz vein stockwork containing pockets of visible gold. The vein system occurs along a shear zone at the fault contact between graphitic siltstone and volcanic rocks. Approximately 147 tonnes of ore were extracted from the adit and stockpiled. A small pilot mill processed several tonnes of high grade ore, producing approximately 205 grams of gold.

Prospecting carried out from 2000 to 2002 was focused on 1 km by 1.5 km area northwest of the mill and found several float occurrences of brecciated graphitic siltstone, some of which contained visible gold, but was unsuccessful in locating the bedrock source of the float.

Rock geochemistry results from 2004 sampling of the adit returned up to 54.6 g/t Au with 6.3 g/t Ag over 1.7 m and 5.69 g/t Au with 1.5 g/t Ag over 1.2 m (AR 094683).

Work Histor	у	
Date	Work Type	Comment
12/31/2002	Trenching	
12/31/2001	Pre-existing Data	Informal evaluation of assets located on property.
12/31/2000	Other	Prospecting of adit.
12/31/1999	Geochemistry	
12/31/1999	Development, Surface	
12/31/1998	Geochemistry	
12/31/1998	Development, Surface	
12/31/1997	Geochemistry	
12/31/1997	Development, Surface	
12/31/1996	Development, Surface	Midnight Mines upgraded road to Caribou Creek vein.
12/31/1994	Geochemistry	
12/31/1994	Ground Geophysics	Also VLF-EM survey.
12/31/1994	Development, Underground	Drifted 100 metres on the Caribou vein.
12/31/1993	Geochemistry	
12/31/1993	Geochemistry	
12/31/1993	Trenching	Caribou vein was trenched and sampled.
12/31/1993	Development, Surface	Road was upgraded.
12/31/1990	Development, Surface	Small mill constructed and operated for short time. Operation unsuccessful.
12/31/1990	Development, Underground	Unsucessful attempt to mine open cut.
12/31/1988	Ground Geophysics	Also VLF-EM survey.
12/31/1988	Trenching	
12/31/1988	Other	
12/31/1987	Trenching	
12/31/1985	Trenching	
12/31/1978	Trenching	
12/31/1974	Geology	
12/31/1974	Geochemistry	
12/31/1974	Ground Geophysics	
12/31/1974	Trenching	
12/31/1973	Trenching	Carried out between 1970 and 1973.
12/31/1954	Trenching	
12/31/1938	Development, Surface	
12/13/2006	Airborne Geophysics	As well as an EM survey.

12/13/2004

Geochemistry

12/13/2004	Trenching	
12/13/2002	Geochemistry	
12/13/2002	Development, Surface	Expanded road network on property.
12/13/2001	Geochemistry	
12/13/2001	Trenching	
12/13/2001	Other	
12/13/2000	Geochemistry	
12/13/2000	Development, Underground	De-watering of adit.
12/13/1994	Geochemistry	
12/13/1989	Drilling	Twenty-three holes, 1,116.6 m.
12/13/1988	Geochemistry	
12/13/1988	Geology	
12/13/1988	Geochemistry	Also rock and silt sampling.
12/13/1938	Development, Surface	Built stamp mill.
12/13/1938	Trenching	Open cut produced 12.7 tonnes of ore.

Assessment Reports that overlap occurrence

Report Number	Year	Title	Worktypes	Holes Drilled	Meters Drilled
<u>094627</u>	2006	2006 Geophysical Assessment on the Caribou Creek Property	Electromagnetic - Airborne Geophysics, Magnetic - Airborne Geophysics		
094683	2004	Geological and Geochemical Assessment Report on the Caribou Creek Property	Rock - Geochemistry, Property Evaluation - Other, Hand - Trenching		
<u>094394</u>	2001	2001 Assessment Report on the Caribou Creek Property	All Weather Road - Development, Surface, Rock - Geochemistry, Line Cutting - Other, Prospecting - Other, Data Compilation - Pre-existing Data, Hand - Trenching		
094402	2001	2002 Assessment Report on the Caribou Creek Property	Rock - Geochemistry, Line Cutting - Other, Property Evaluation - Other, Prospecting - Other, Hand - Trenching		
<u>094195</u>	2000	2000 Assessment Report on the Caribou Creek Property	Drifting/Raising - Development, Underground, Rehabilitation - Development, Underground, Rock - Geochemistry, Line Cutting - Other, Property Evaluation - Other, Prospecting - Other		
093189	1994	Exploration Report on the Freegold Mountain Project Freegold Mountain Area	Rock - Geochemistry, Soil - Geochemistry, Line Cutting - Other, Prospecting - Other, Mechanical - Trenching		
<u>093291</u>	1994	Exploration Report on the CARIBOO Property and GLEN Claims	All Weather Road - Development, Surface, Mill/Concentrator Construction - Development, Surface, Rock - Geochemistry, Soil - Geochemistry, EM - Ground Geophysics, Magnetics - Ground Geophysics, Line Cutting - Other, Prospecting - Other		
<u>092648</u>	1989	Exploration Report on the Caribou Creek Property	All Weather Road - Development, Surface, Rock - Geochemistry, Silt - Geochemistry, Soil - Geochemistry, Bedrock Mapping - Geology, EM - Ground Geophysics, Magnetics - Ground Geophysics, Line Cutting - Other, Prospecting - Other, Mechanical - Trenching		
<u>061084</u>	1974	Geological, Geochemical and Geophysical Report on the Mjk 1-32 Claims, Freegold Mountain	Soil - Geochemistry, Bedrock Mapping - Geology, Magnetics - Ground Geophysics, Line Cutting - Other		

Related References

Number	Title	Page(s)	Reference Type	Document Type		
ARMC01 2941	Geology map with legend - Guder Best group - Dawson Range		Property File Collection	Geoscience Map (Geological - Bedrock)		
ARMC01 6627	Land and disposition and mineral deposits chart - Freegold - Big Creek area		Property File Collection	Geoscience Map (General)		
ARMC01 6626	Geology and mineralization chart - Freegold - Big Creek area		Property File Collection	Geoscience Map (Geological - Bedrock)		
<u>1987-2(</u> <u>G)</u>	Geology of Mt. Nansen (115I/3) and Stoddart Creek (115I/6), Dawson Range, Central Yukon		Indian & Northern Affairs Canada/Department of Indian & Northern Development: Exploration & Geological Services Division	Open File (Geological - Bedrock)		
<u>1999-1(</u> <u>D)</u>	Yukon Digital Geology		Indian & Northern Affairs Canada/Department of Indian & Northern Development: Exploration & Geological Services Division	Open File (Geological - Bedrock)		
2018-2	Bedrock geological map of the Mount Freegold district, Dawson Range		Yukon Geological Survey	Open File (Geological - Bedrock)		

Production				
Date Commodity Amount		Amount	Comment	
12/1/1938	Au	2700 grams	Assessment report 093291, from 12 tons of had picked ore (252g/t Au).	
12/1/1994	Au	170 grams	Assessment report 093291, from 3 tons of ore (~56g /t Au).	

12/ 1/ 155 .	7.0	2.0 \$1.00.00					
Drill core at YGS core library							
Number	Property		Year Drilled	Core Size	Photos	Data	
CC-89-01	Caribou C	reek	1989	HQ	6	3	
CC-89-02	Caribou C	reek	1989	HQ	12	3	
CC-89-03	Caribou C	reek	1989	HQ	2	3	
<u>CC-89-04</u>	Caribou C	reek	1989	HQ	8	2	
88-09	Caribou C	reek	1988	HQ	10	3	
<u>88-10</u>	Caribou C	reek	1988	HQ	6	3	
<u>88-11</u>	Caribou C	reek	1988	HQ	6	3	
<u>88-12</u>	Caribou C	reek	1988	HQ	8	3	
DDH-1-90-88	Caribou C	reek	1988	HQ	8	2	
DDH-2-50-88	Caribou C	reek	1988	HQ	6	2	
DDH-3-50-88	Caribou C	reek	1988	HQ	12	2	
DDH-4-60-88	Caribou C	reek	1988	HQ	8	2	

1988

DDH-5-90-88

Caribou Creek

2

HQ

2