



Occurrence Details

Occurrence Number: 116B 102

Occurrence Name: Wizard

Occurrence Type: Hard-rock

Status: Prospect

Date printed: 12/16/2025 7:47:53 AM

General Information

Secondary Commodities: cobalt, copper, gold, lead, silver, zinc

Aliases: Id, Monster

Deposit Type(s): Iron Oxide Breccias & Veins (Wernecke Breccias)

Location(s): 64°50'51" N - -139°42'40" W

NTS Mapsheet(s): 116B13

Location Comments: .5 Kilometres

Hand Samples Available: No

Last Reviewed:

Capsule

Work History

Staked as ID cl 1-26, 61-64, 66-67 and 69-72 (Y99957) in August, 1975 by the Blackstone Project (Union Miniere Explorations and Mining Corporation Ltd. and Shell Canada Resources Ltd.), which carried out geological mapping and geochemical sampling in 1975, 1976 and 1977. The claims were briefly optioned to Rinsey Mines Ltd. in 1990.

In May, 1990 Archer, Cathro and Associates (1981) Ltd. staked the CO cl 1-4 (YB30611) 1.5 km west of the occurrence location. These claims were later surrounded by the Monster claim block.

Re-staked as Monster cl 41-72 (YB42107) in June, 1993 by Pamicon Developments Ltd. and Equity Engineering Ltd., which had earlier in the same month re-staked the Dash showing (MINFILE occurrence 116B 103) located 7.5 km to the southwest as Monster cl 1-40 (YB42067). The claims were subsequently optioned by the privately funded Monster Joint Venture, which immediately carried out geological mapping, prospecting and geochemical soil sampling of the two claim groups, herein called the Monster East (cl 41-72) and Monster West (cl 1-40) areas. The Monster Joint Venture subsequently became Pendle Resources Ltd.

Pendle staked Monster cl 73-112 (YB48361) in May, 1994 between the two previously staked claim groups, forming a contiguous block of claims. They also staked Monster cl 113-265 (YB48591) on the southwest side of the claim block. Geological mapping, prospecting, geochemical soil sampling and ground radiometric surveying was carried out across the claim block in July and August 1994. Pendle staked Cookie cl 1-20 (YB52507) 2.5 km to the east-southeast in August, 1994 and carried out geological mapping, prospecting and geochemical rock, silt and soil sampling of the Cookie claims at this time.

In June 1996, Blackstone Resources Limited (formerly Pendle Resources) carried out helicopter-borne magnetic and radiometric surveying over the Ogilvie Mountain breccia belts, which included detailed coverage of the Monster and Cookie claims (Monster property). In June, 1998 Blackstone staked Cookie cl 21-58 (YC07474) to the south and west of the original Cookie claims forming a contiguous claim block that included the Monster claims. The company then carried out a geological mapping, prospecting and geochemical rock and soil sampling that targeted magnetic and structural features outlined by the 1996 geophysical survey. Blackstone Resources changed its name to Blackstone Ventures Inc. in April, 2001.

In June, 2001, Blackstone announced a purchase agreement with Monster Copper Resources Inc., a private exploration company, whereby Monster Copper Resources would acquire Blackstone's interest in this and other nearby properties in exchange for shares and work commitments. Monster Copper carried out geological reconnaissance (consisting of mapping and prospecting), geochemical rock sampling and collected widespread gravity readings across the central and eastern regions of the Monster property in 2001. A similar work program, focused in the central region of the property, was carried out in 2002 and included ongoing geological reconnaissance and geochemical sampling, infill and expansion of the gravity survey and density measurements of representative lithologies. In 2003, the company completed detailed gravity surveying in the central region of the property, 2 to 2.5 km southwest of the occurrence location, and drilled one hole (194.5 m) to test the area.

Monster Copper Resources was subsequently acquired by Monster Copper Corporation (formerly Coventary Charter Corporation) in May, 2003 as the company's "qualifying transaction" prior to the recommencement of trading of its shares on the TSX Venture Exchange.

Regional & Property

The area is situated in the southern Ogilvie Mountains and is cored by the Coal Creek Inlier, an oval shaped and east-trending window of Proterozoic clastic rocks that have been penetrated by mineralized breccias and cut by mafic sills and dikes. The Lower Proterozoic stratigraphy of the Coal Creek Inlier has been correlated by Thorkelson (2000) to that of the Wernecke Supergroup, defined by Delaney (1985), in the Wernecke Mountains located some 250 km to the east. The geological setting of the southern Ogilvie Mountains is considered highly favourable for hosting Olympic Dam type Cu-U-Au-Ag deposits.

The area is underlain by Lower Proterozoic Quartet Group shale, quartzite, wacke, conglomerate; Lower Proterozoic Gillespie Lake Group dolomite (commonly containing stromatolites), shaley dolomite, siltstone, shale; these rocks are intruded by breccias of the Northern Wernecke Breccia Belt (Lane and Godwin, 1992) which are in turn cut by minor diorite intrusions. The Wernecke breccias comprise: (1) heterolithic breccia with carbonate, hematite, or chlorite matrix; and (2) monolithic breccias with Fairchild, Quartet, or Gillespie Lake Group fragments. The breccias form a circular body in plan about 3 km across known as "the Donut" (Lane and Godwin, 1992). Alteration occurs as: hematization, carbonate, chlorite, and pink K-spar often associated with the breccia matrix as well as local magnetite in dolomite (Jasper Zone). Significant structures hosting mineralization are generally centered on the intersection of northeast and northwest trending faults. This and several other similar occurrences (MINFILE occurrences 116B 068, 084, 099, 113) are located along the Monster Fault, a steep east-west normal structure of Proterozoic age which is downthrown to the north.

Mineralization & Results

Early grid soil sampling by the Blackstone Project in the seventies focused on carbonate-hosted lead-zinc and copper mineralization over the original Wizard occurrence, located on the northeast side of "the Donut". The company identified four soil anomalies, the largest of which covers 60 m by 600 m. The best assays returned up to 640 ppm Zn, up to 2,800 ppm Cu, and anomalous Co.

The Monster Joint Venture reported in 1993 that chalcopyrite, bornite and cobaltite mineralization occurs within quartz-carbonate veins, quartz veinlets and stockworks along a fault zone and as disseminations in Lower Proterozoic shale and quartzite located near the margins of breccia bodies and/or diorite sills and dykes. Mineralization also occurs in specular hematite heterolithic breccia. Soil sampling in 1993 detected copper and zinc anomalies extending over 2 km and accompanied by high cobalt values. Rock samples returned values between 1.1% and 27% combined Cu-Zn.

The 1994 program indicated widespread Cu mineralization throughout the Monster claim block, with the areas of strongest mineralization often associated with large diorite bodies. Rock and soil samples collected from around this occurrence, confirmed the extent and grade of the mineralization previously reported in 1993.

Work on the Cookie claims uncovered copper mineralization in the form of stockwork veining and disseminations within breccia float. The best result obtained was a grab sample collected from the main breccia body which assayed 5.05% Cu. Several soil and silt sampling anomalies were found which generally coincide with areas of known mineralization, but some new areas of potential

mineralization were also identified. Although the program was preliminary in nature, the favourable results led the company to recommend further work. These claims also displayed a strong magnetic response coupled with intersecting EW, NE, and NS trending structures identified in the airborne geophysical survey flown in 1996.

Further geological work by Blackstone in 1998, utilizing information acquired from the 1996 regional airborne survey improved the geological understanding of the area. Several mineralized zones with chalcopyrite, bornite ± cobaltite, malachite, azurite, erythrite in veinlets and fractures were mapped and sampled. These zones, from nearest to furthest from the original Wizard occurrence, include: the Goblin Showing, Mark's High Grade Showing, Panther Showing, Champagne Zone, Champagne North Zone, Jasper Zone and the O'Hara Showing. The best results of the program include a rock sample from Mark's High Grade showing (MINFILE occurrence 116B 176) which assayed 44.8% Cu, 9 820 ppm Co, 510 ppb Au, 24.2 g/t Ag and a 35 m contiguous rock sample from the Goblin showing (MINFILE occurrence 115B 175) which returned 0.57% Cu. Replacement type mineralization found in Gillespie Lake Group float returned up to 23.7% Zn and 5.7 % Pb at the Champagne North Zone. Contour soil sampling also returned anomalous results in Cu, Co, Zn, and Pb. Many other zones were mapped west of the "Donut" and are reported in MINFILE occurrence 116B 103.

Geological reconnaissance and sampling carried out in 2001 and 2002 identified numerous additional areas of mineralization, all of limited extent, consisting typically of malachite and azurite with minor amounts of chalcopyrite. Gradual refinement of the gravity survey through infill, detailed surveying and full terrain correction resulted in a significant reduction in the amplitude of what had initially been interpreted as a `gravity anomaly apparently of significant magnitude'. Drilling carried out prior to the completion of the detailed geophysical surveying intersected mostly unmineralized breccia and shale cut by the occasional diorite dyke and revealed that the earliest interpretations of the density contrasts thought to be present in the area were not the result of iron-rich material at depth. These apparent contrasts, after final interpretation of the detailed survey, were determined to be of very low order (0.1 to 0.15 g/cm3). The only significant mineralization intersected during drilling was a 0.5 m wide clast of andesite with chalcopyrite as disseminations and stringers that returned 1.7% Cu.

Work History

Date	Work Type	Comment
12/31/2003	Ground Geophysics	
12/31/2003	Drilling	One hole, 194.5 m.
12/31/2002	Ground Geophysics	
12/31/2002	Geochemistry	
12/31/2002	Geology	
12/31/2001	Ground Geophysics	Reconnaissnace gravity surveying which was infilled in sucessive years.
12/31/2001	Geochemistry	
12/31/2001	Geology	
12/31/1998	Geochemistry	
12/31/1998	Geology	Exploration was carried out over magnetic and structural features outlined in the regional airborne geophysical survey .
12/31/1998	Geochemistry	
12/31/1998	Other	
12/31/1996	Airborne Geophysics	Also magnetic survey . Surveys were flown over most of the Coal Creek Inlier and included this occurrence location.
12/31/1994	Ground Geophysics	
12/31/1994	Geology	
12/31/1994	Geochemistry	
12/31/1994	Other	
12/31/1993	Geology	
12/31/1993	Geochemistry	
12/31/1993	Other	
12/31/1977	Geology	
12/31/1977	Geochemistry	
12/31/1976	Geology	
12/31/1976	Geochemistry	
12/31/1975	Geology	
12/31/1975	Geochemistry	

Assessment Reports that overlap occurrence

Report Number	Year	Title	Worktypes	Holes Drilled	Meters Drilled
097189	2018	2018 Geological, Geophysical and Spectral Work on the Monster Property	Gamma-Ray Spectrometry - Airborne Geophysics, Magnetic - Airborne Geophysics, Soil - Geochemistry, Landsat - Remote Sensing		
094816	2007	2007 Uranium Analytical Work on the MONSTER Property	Rock - Geochemistry, Soil - Geochemistry, Process/Interpret - Pre-existing Data		
094354	2002	2002 Geological Reconnaissance, Rock Geochemical Sampling Program and Gravity Survey on the MONSTER Property	Rock - Geochemistry, Bedrock Mapping - Geology, Gravity Survey - Ground Geophysics, Petrographic - Lab Work/Physical Studies, Prospecting - Other		

093965	1998	1998 Geological Mapping, Prospecting, Rock and Soil Geochemical Samping Program on the MONSTER Property	Rock - Geochemistry, Soil - Geochemistry, Bedrock Mapping - Geology, Prospecting - Other		
093600	1996	Logistics Report for a Helicopter Magneitc and Gamma-Ray Spectrometer Survey of the MONSTER Property	Gamma-Ray Spectrometry - Airborne Geophysics, Magnetic - Airborne Geophysics		
093260	1994	1994 Geological Report on the MONSTER 1-265 Claims	Rock - Geochemistry, Silt - Geochemistry, Bedrock Mapping - Geology, Gamma-ray Spectrometry - Ground Geophysics, Petrographic - Lab Work/Physical Studies, Prospecting - Other, Data Compilation - Pre-existing Data		
093204	1993	1993 Geological Report on the MONSTER 1-40 Claims	Rock - Geochemistry, Soil - Geochemistry, Bedrock Mapping - Geology, Prospecting - Other		
090214	1976	Geochemical Soil Survey on the ID Claims	Soil - Geochemistry, Bedrock Mapping - Geology, Line Cutting - Other		
090141	1976	Geological Survey on the ID Claims	Detailed Bedrock Mapping - Geology		
090068	1975	Geochemical Soil Survey on the ID Claims	Soil - Geochemistry		

Related References

Number	Title	Page(s)	Reference Type	Document Type
ARMC006778	Summary report of Olympic Dam potential in the Yukon and of the Monster property		Property File Collection	Report
ARMC016782	Geochemical map - 116B/13		Property File Collection	Geochemical Map
1985Delauey	The Middle Proterozoic Wernecke Supergroup, Wernecke Mountains, Yukon Territory		University of Western Ontario	PhD Thesis
10	Geology and Mineral Occurrences of Slats Creek, Fairchild Lake and "Dolores Creek" Areas, Wernecke Mountains (106D/16, 106C/13, 106C/14), Yukon Territory		Indian & Northern Affairs Canada/Department of Indian & Northern Development: Exploration & Geological Services Division	Bulletin
1992-1	Geology of Ogilvie Mountains Breccias, Coal Creek Inlier (116B/11, 13, 14) Yukon Territory		Indian & Northern Affairs Canada/Department of Indian & Northern Development: Exploration & Geological Services Division	Open File (Geological - Bedrock)
2003-9(D)	Yukon Digital Geology (version 2)		Yukon Geological Survey	Open File (Geological - Bedrock)