



Occurrence Details

Occurrence Number: 115P 070

Occurrence Name: Nitra-Southern Trend

Occurrence Type: Hard-rock

Status: Anomaly

Date printed: 12/16/2025 10:41:58 AM

General Information

Primary Commodities: arsenic, bismuth, gold, lead, zinc

Aliases: Nitra

Deposit Type(s): Unknown

Location(s): N - W

NTS Mapsheet(s): 115P16

Location Comments: Location from soil sample map

Hand Samples Available: No

Last Reviewed:

Capsule

Exploration History

Exploration on the Nitra Property dates from the 1900s when Placer gold claims were staked and prospected. Documented exploration on the ground now covered by the Nitra Property includes: placer testing, soil sampling and trenching by Dan Klippert (Hard Rock Exploration) and Breakaway Exploration.

From 1994 to early 2000's placer miner, Dan Klippert, developed the access to the Seattle Creek area and tested two unnamed tributaries to Seattle Creek. Testing found that gold distribution is erratic, however, the coarse gold pockets with nuggets up to 7¼ ounces were found.

Concurrently to the placer exploration, Klippert conducted hard rock exploration on unnamed tributaries to Seattle Creek. He staked the DCK claim block in this area. From 1996 to 2000, Klippert explored the DCK claims with soil surveys, trenching and rock sampling.

In 2012, Breakaway Exploration Management collected ridge and spur soil samples in the area and identified a number of Au-in-soil anomalies. This work was never followed up.

Banyan Gold Corp. staked the Nitra claims in 2019 and followed up with a soil sample survey in 2020.

Capsule Geology

To date, there has not been any property-scale geological mapping completed. The Nitra property lies in western Selwyn Basin. The major stratigraphic units making up the Selwyn Basin in the McQuesten River area are the Late Proterozoic to Cambrian Hyland Group, the Devonian to Mississippian Earn Group and the Mississippian Keno Hill Quartzite. The Earn Group and Keno Hill Quartzite are intruded by a number of mid-Triassic mafic sills of metre-scale to hundred-metre-scale thickness.

In the Mayo region, the Jurassic-Cretaceous Robert Service thrust juxtaposes Hyland Group rocks against the Keno Hill Quartzite and the underlying Earn Group rocks. North of the Robert Service thrust, the Tombstone thrust sheet was thrust northward and protrudes structurally beneath the RST. Both these structures were in turn folded by a period of transpressional deformation creating the McQuesten Antiform, which plunges to the southwest. With waning deformation across the orogen by the mid-Cretaceous, emplacement of a series of felsic to intermediate plutonic suites occurred between 112 and 90 M. A second suite of intrusive rocks, the McQuesten intrusions of 64-67 Ma locally exploited the existing structural weakness in the axis of the McQuesten Antiform.

Exploration on the Nitra Property dates from the 1900s when Placer gold claims were staked and prospected. Documented exploration includes: placer testing, soil sampling and trenching. In 2020 and 2021, Banyan Gold Corp conducted extensive soil sampling programs on the property, which lead to the delineation of a number of multi-element soil geochemical anomalies.

Work History

Date	Work Type	Comment
7/1/2020	Geochemistry	
2/1/2006	Other	
2/1/2006	Ground Geophysics	
2/1/2006	Other	
2/1/2003	Geochemistry	
2/1/2003	Other	
2/1/2003	Ground Geophysics	
2/1/1998	Geochemistry	
2/1/1998	Geochemistry	
2/1/1998	Ground Geophysics	
2/1/1996	Airborne Geophysics	
2/1/1996	Airborne Geophysics	
2/1/1979	Geology	
2/1/1979	Geochemistry	
2/1/1979	Geochemistry	
2/1/1979	Other	

Related References

Number	Title	Page(s)	Reference Type	Document Type
06-033	Report on the 2006 Exploration Program on the Tom Zone, Scheelite Dome Project		Yukon Government: Energy, Mines and Resources	YMEP Report
03-023	Summary Report on the Tom Zone Exploration Program		Yukon Government: Energy, Mines and Resources	YMEP Report